

號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 1 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 葆旺股份有限公司 (PRO WONDERFUL INCORPORATION)

樣品名稱(Sample Description)

樣品型號(Style/Item No.) L-1225L, L-1225Y, L-1250Y, L-1225Z-100, L-1250Z-100, L-1225Z-100M, L-1225Z-100K,

> L-1250VX, L-1250ZH, K1285ZH, L-1706VX, L-1250ZW, LV-2250Y, LV-2225Y, LV-2225L, K-1300Y, L-1225LL, AD-5503, L-1225T, L-1225LM, L-1225ZL-100, LV-2225Z, LV-2250Z,

LN-2250, LN-2250Y, LN-2250Z, MN-4800(#), MN-4805(#), MN-3600H

收件日期(Sample Receiving Date) 2025/02/23

測試期間(Testing Period) 2025/02/23 TO 2025/03/06

#### 測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample.)

\_\_\_\_\_\_

(2) 依據客戶指定,檢測 PAHs 及其他測項. (As specified by client, to test PAHs and other item(s).)

測試結果(Test Results) :

請見下一頁 (Please refer to next pages).

結論(Conclusion) :

(2) 根據客戶所提供的樣品,18項多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHS第 2 類 「列於2009/48/EC之玩具」之限值要求. (Based upon the performed tests on the submitted sample, the test results of PAHs (18 items) comply with the limits of PAHs requirement (Category 2) Toy under 2009/48/EC | as set by German Committee on Product Safety (AfPS) GS PAHs.)

SGS TAIWAN LTD. Chemical Laboratory - Taipei

Signed for and on beha

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.7ferms



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 2 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 透明塑膠粒(TRANSPARENT PLASTIC PELLETS)

测試項目	單位	测試方法	方法偵測 極限值	結果 (Result)	
(Test Items)	(Unit)	(Method)	(MDL)	No. 1	
鎬 / Cadmium (Cd)	mg/kg 参考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.		2	n. d.	
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.	
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.	
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008),以UV-VIS檢 測. / With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.	
富馬酸二甲酯 / Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	參考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.1	n. d.	
六溴環十二烷及所有主要被辨別出的異構物/Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321 (2008),以氣相層析/ 質譜儀檢測. / With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n. d.	



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 3 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果 (Result)
(Test Items)	st Items) (method)		(MDL)	No. 1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣相層析 /質譜儀檢測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.
全氟辛烷磺酸 / Perfluorooctane	mg/kg	參考US EPA 3550C (2007),以液相層	10	n. d.
sulfonates (PFOS-Acid, Metal Salt, Amide)		析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was		
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	performed by LC/MS.	10	n. d.



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 4 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg		50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	參考IEC 62321-8/CD (2013),以氣相層析儀/質譜儀檢測. / With reference to IEC 62321-8/CD (2013). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n. d.
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n. d.
多氯聯苯 / Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	參考US EPA 3550C (2007),以氣相層	0. 5	n. d.
多氣奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was	5	n. d.
多氯三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	performed by GC/MS.	0.5	n. d.
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	参考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	100	n. d.



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 5 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Un:t) (Wothed)		方法偵測 極限值	結果 (Result)
	(Unit)	(Method)	(MDL)	No. 1
多環芳香烴 / Polycyclic Aromatic Hydrocarbons (PAHs)				
苊 / Acenaphthene (CAS No.: 83-32-9)	mg/kg		0.2	n. d.
苊烯 / Acenaphthylene (CAS No.: 208-96-8)	mg/kg		0.2	n. d.
蔥 / Anthracene (CAS No.: 120-12-7)	mg/kg		0.2	n. d.
苯駢蔥 / Benzo[a]anthracene (CAS No.: 56-55- 3)	mg/kg		0. 2	n. d.
苯騈(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8)	mg/kg	[	0.2	n. d.
苯(b)苯騈芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg	参考AfPS GS 2014:01 PAK,以氣相層 析/質譜儀檢測. / With reference to AfPS GS 2014:01 PAK. Analysis was	0. 2	n. d.
苯駢苝 / Benzo[g,h,i]perylene (CAS No.: 191- 24-2)	mg/kg		0. 2	n. d.
苯(k)苯駢芴 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg		0. 2	n. d.
Chrysene (CAS No.: 218-01-9)	mg/kg		0.2	n. d.
二苯駢蒽 / Dibenzo[a, h]anthracene (CAS No.: 53-70-3)	mg/kg		0. 2	n. d.
苯駢芴 / Fluoranthene (CAS No.: 206-44-0)	mg/kg	performed by GC/MS.	0. 2	n. d.
芴 / Fluorene (CAS No.: 86-73-7)	mg/kg	]	0. 2	n. d.
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0. 2	n. d.
萘 / Naphthalene (CAS No.: 91-20-3)	mg/kg	<b>†</b>	0.2	n. d.
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg	]	0. 2	n. d.
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg	]	0.2	n. d.
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0. 2	n. d.
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192-97- 2)	mg/kg		0.2	n. d.
多環芳香烴18項總和 / Sum of 18 PAHs	mg/kg	†	_	n. d.



頁數(Page): 6 of 26 號碼(No.):CE/2025/26545 日期(Date):2025/03/07

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	參考Global SOP RSTS-E&E-121 (2012) ,以液相層析/質譜儀分析. / With reference to Global SOP RSTS-E&E- 121 (2012). Analysis was performed by LC/MS.	10	n. d.
四溴雙酚-A-雙 / TBBP-A-bis (CAS No.: 21850-44-2)	mg/kg	參考US EPA 3550C (2007),以氣相層析/質譜儀檢測. / With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n. d.
石綿 / Asbestos				
溫石綿(白石綿) / Chrysotile (CAS No.: 12001-29-5)	%	& 本EDA 600/D 09/116 (1009) / + 助	-	Negative
鐵石綿(褐石綿) / Amosite (CAS No.: 12172-73-5)	%	參考EPA 600/R-93/116 (1993) / 立體 顯微鏡 (SM),分散染色式偏光顯微鏡 (DS-PLM)及X光繞射光譜分析法 (XRD) / With reference to EPA 600/R- 93/116 (1993). Analysis was performed by Stereo Microscope (SM), Dispersion Staining	-	Negative
青石綿 / Crocidolite (CAS No.: 12001-28-4)	%		-	Negative
斜方角閃石綿 / Anthophyllite (CAS No.: 77536-67-5)	%		-	Negative
透閃石綿 / Tremolite (CAS No.: 77536-68-6)	%	Polarized Light Microscope (DS- PLM) and X-ray Diffraction	-	Negative
陽起石綿 / Actinolite (CAS No.: 77536-66-4)	%	Spectrometer (XRD).	-	Negative

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 7 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	
偶氮 (AZO)			<u> </u>	NO. 1	
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
2): 聯苯胺 / BENZIDINE (CAS No.: 92- 87-5)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
3): 4- 氣鄰甲苯胺 / 4-CHLORO-0- TOLUIDINE (CAS No.: 95-69-2)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
5): 鄰氨基二甲基偶氮 / 0- AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	
7): 對氣苯胺 / P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.	



號碼(No.):CE/2025/26545 日期(Date):2025/03/07

頁數(Page): 8 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101- 77-9)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷/3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.



號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 9 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
15): 4,4'-亞甲基雙(氣苯胺)/ 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 139-65-1)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 95-53-4)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 90-04-0)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.



頁數(Page): 10 of 26 號碼(No.):CE/2025/26545 日期(Date):2025/03/07

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
22): 對氨基偶氮苯 / 4-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 95-68-1)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 87-62-7)	mg/kg	參考LFGB 82.02-2 (2013),以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2 (2013). Analysis was performed by GC/MS.	3	n. d.

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. 石綿定性分析試驗範圍: <0.1%~100%,石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為 "Negative" • / Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0,001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過1µg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above  $1\mu g/m^2$ .)



頁數(Page): 11 of 26 號碼(No.):CE/2025/26545 日期(Date):2025/03/07

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### △ 德國產品安全委員會(AfPS) GS PAHs 要求 /

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第2類(Ca	ategory 2)	第3類(Ca	ategory 3)	
項目 (Parameter)	意圖放入嘴內的材料 或玩具會與皮膚有所 接觸(超過30秒). (Material indented to be put in the mouth or toys with intended skin	具會與皮膚有所 超過30秒). rial indented put in the or toys with 接觸逾30秒(長期或經常臭 觸). (Materials not fai under category 1 with foreseeable contact to longer than 30 seconds		可預見與皮膚接觸短於30秒(短期與皮膚接觸),以及不屬於第1類或第2類的材料. (Materials not fallin under category 1 or 2 with foreseeable contact to skin for less than 30 seconds (shortterm skin contact).)		
	contact (longer than 30 s).)	列於2009/48/EC 之玩具(Toy under 2009/48/EC)	列於德國產品安全 法之其他產品 (Other products under ProdSG)	列於2009/48/EC 之玩具 (Toy under 2009/48/EC)	列於德國產品安全 法之其他產品 (Other products under ProdSG)	
Naph thal ene	< 1	<	< 2	<	< 10	
Acenaphthylene						
Acenaphthene						
Fluorene						
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Anthracene						
Fluoranthene						
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1, 2, 3-c, d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a, h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g, h, i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
18項PAH總濃度 (Sum of 18 PAH)	< 1	< 5	< 10	< 20	< 50	

單位(Unit): mg/kg



號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 12 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)


(昆山市開發區偉業路18號現代廣場A座1508室)

#### <u>重金屬流程圖 / Analytical flow chart of Heavy Metal (IEC 62321)</u>

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) /

These samples were dissolved totally by pre-conditioning method according to below flow chart. (  $Cr^{6+}$  test method excluded )

- 測試人員: 王志瑋 / Technician: JR Wang
- 測試負責人:張啟興 / Supervisor: Troy Chang



Note\*\*: (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling



號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 13 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)


(昆山市開發區偉業路18號現代廣場A座1508室)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process \_ 選擇性篩檢程序 / Optional screen process •••• 確認程序 / Confirmation process \_ . \_ . →





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 14 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545 日期(Date):2025/03/07 頁數(Page): 15 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)


(昆山市開發區偉業路18號現代廣場A座1508室)

#### 可塑劑分析流程圖 / Analytical flow chart - Phthalate

測試人員:徐毓明 / Technician: Andy Shu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 16 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 17 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 多氯聯苯分析流程圖 / Analytical flow chart - PCBs

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 18 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 多氯奈分析流程圖 / Analytical flow chart - PCNs

■ 測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 19 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 多氯三聯苯分析流程圖 / Analytical flow chart - PCTs

測試人員:曾勃鈞 / Technician: Barry Tseng

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 20 of 26



葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 氯化石蠟分析流程圖 / Analytical flow chart - Chlorinated Paraffins

■ 測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 21 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 22 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)


(昆山市開發區偉業路18號現代廣場A座1508室)

#### 四溴雙酚-A-雙分析流程圖 / Analytical flow chart - TBBP-A-bis

測試人員: 涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process \_ 確認程序 / Confirmation process - - - - →





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 23 of 26



葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### 富馬酸二甲酯分析流程圖 / Analytical flow chart - Dimethyl Fumarate

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 24 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)


(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

#### <u>多環芳香烴分析流程圖 /</u> **Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)**

測試人員: 涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 25 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)


(昆山市開發區偉業路18號現代廣場A座1508室)

#### 石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos

■ 測試人員:高鍵忠 / Technician: Victor Kao

測試負責人:魏明芬 / Supervisor: Wendy Wei

【参考方法(Reference method): EPA 600/R-93/116】





號碼(No.):CE/2025/26545

日期(Date):2025/03/07

頁數(Page): 26 of 26

葆旺股份有限公司

(創騰興業股份有限公司)

(創騰興業(深圳)貿易有限公司)

(上海台富國際貿易有限公司)

(上海台富國際貿易有限公司(昆山分公司))

臺北市內湖區洲子街63號7樓

(臺北市內湖區洲子街65號7樓)

(深圳市南山區桃園路田廈國際中心A座1064室)

(上海市外高橋保稅區華申路180號綜合大樓二層203室)

(昆山市開發區偉業路18號現代廣場A座1508室)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-Document.aspx</a>. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document developed at the intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document are the company at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document are the company at the company and the company are the company at the company and the company are the company and the company and the company are the company and the company and the company are t