


引き出し方向
PULL OUT DIRECTION


REEL



"D"

B±1


C±1



DETAIL "D"


注記 NOTES


- 製品詳細寸法については製品単体図面を参照下さい。
RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 梱包数量：3000個 / リール
NUMBER OF CONNECTORS：3000 PCS/REEL.
- リードテープ長さ LEAD TAPE LENGTH.



- カバーテープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
- 材料 MATERIAL
キャリアテープ(CARRIER TAPE)：ポリスチレン(POLYSTYRENE)
トップテープ(TOP TAPE)：PET, OTHER
リール(REEL)：ポリスチレン(PS)<リサイクル材を含む>
POLYSTYRENE(PS)<RECYCLE MATERIAL CONTAINED>
- ELV 及び RoHS適合品
ELV AND RoHS COMPLIANT


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 108729 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: KMORIKAWA		2016/09/21	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®							
		2016/09/27		MM	NTS										
		2016/09/27		ANGULAR TOL ± 3.0 °	DRWN BY		DATE		0.4 BB CONN. HGT=0.8 REC ASSY EMBSTP PKG						
				4 PLACES ± 0.03	JFURUKAWA		2016/09/21								
				3 PLACES ± 0.03	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING						
				2 PLACES ± 0.05	TASAKAWA		2016/09/27								
A	REV		1 PLACE ± 0.1	APPR BY		DATE		SERIES 503772				MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL	
			0 PLACES ± 0.2	KMORIKAWA		2016/09/27									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION									
				A3			DOCUMENT NUMBER 5037720000				DOC TYPE PSD	DOC PART 000	SHEET NUMBER 1 OF 3		





16	21.4	17.4	7.32	503772-2410		24
			6.52	503772-2010		20
			5.72	503772-1610		16
			4.52	503772-1010		10
キャリアテープ幅 CARRIER TAPE WIDTH	C	B	(A)	MATERIAL NO.		CKT.
				MODEL NO.	503772-***0	


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


EC NO: 108729 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: KMORIKAWA	2016/09/21	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.03 3 PLACES ± 0.03 2 PLACES ± 0.05 1 PLACE ± 0.1 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION UNITS	SCALE	molex® 0.4 BB CONN. HGT=0.8 REC ASSY EMBSTP PKG					
	2016/09/27		MM	NTS						
	2016/09/27		DRWN BY	DATE						
					JFURUKAWA	2016/09/21	PRODUCT CUSTOMER DRAWING			
				CHK'D BY	DATE					
				TASAKAWA	2016/09/27					
				APPR BY	DATE	SERIES 503772 DOCUMENT NUMBER 5037720000				
				KMORIKAWA	2016/09/27					
				DRAWING SIZE	THIRD ANGLE PROJECTION					
				A3		MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		
						DOC TYPE PSD		DOC PART 000	SHEET NUMBER 2 OF 3	

RELEASE STATUS	P1	RELEASE DATE	27.09.2016	05:11:48
----------------	----	--------------	------------	----------



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
EC NO: 108729 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: KMORIKAWA	2016/09/21 2016/09/27 2016/09/27	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
				MM		NTS							
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.4 BB CONN. HGT=0.8 REC ASSY EMBSTP PKG					
		4 PLACES	± 0.03	JFURUKAWA		2016/09/21							
		3 PLACES	± 0.03	CHK'D BY		DATE							
		2 PLACES	± 0.05	TASAKAWA		2016/09/27							
		1 PLACE	± 0.1	APPR BY		DATE		PRODUCT CUSTOMER DRAWING					
		0 PLACES	± 0.2	KMORIKAWA		2016/09/27							
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER	
				A3				503772		SEE CHART		GENERAL	
						DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER	
A		REV				5037720000		PSD		000		3 OF 3	






RECOMMENDED P.W.BOARD
PATTERN LAYOUT

*1 パターン引き回し、および半田禁止エリア
(当該箇所においては、これと接する回路以外の配線を禁止する。
また、接する回路を配線する場合はレジストを施し、この部分に
半田は無きこととする。)

*1 PROHIBITED AREA OF PATTERN WIRING AND SOLDER.
(FOR EACH AREA, THE WIRING THAT TOUCHES ON THE SOLDER
CAN BE ATTACHED, THEN COVERED WITH A FILM TO KEEP SOLDER OUT.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 108729 DRWN: JFURUKAWA CHK'D: TASAKAWA APPR: KMORIKAWA	2016/09/21	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®															
	2016/09/27		MM		20:1																	
	2016/09/27		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		0.4 BB CONN. HGT=0.8 W=2.5 REC ASSY													
			4 PLACES	± 0.03	JFURUKAWA		2016/09/21															
			3 PLACES	± 0.03	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING													
			2 PLACES	± 0.05	TASAKAWA		2016/09/27															
			1 PLACE	± 0.1	APPR BY		DATE							SERIES					MATERIAL NUMBER		CUSTOMER	
			0 PLACES	± 0.2	KMORIKAWA		2016/09/27															
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		503772		SEE TABLE		GENERAL									
	A		REV			A3				DOCUMENT NUMBER		DOC TYPE		DOC PART		SHEET NUMBER						
								5037721000		PSD		000		2 OF 2								